APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	e of filing in State Engineer's Office. APR 1 3 1992
Reti	urned to applicant for correction
Cor	rected application filed
Maj	JUL 2 4 1992
	The applicant National Mustang Association, Inc.
	P.O. Box 142 , of Newcastle , Street and No. or P.O. Box No. City or Town
	Utah, 84756 , hereby make application for permission to appropriate the public State and Zip Code No.
wat	ters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
cop	partnership or association, give names of members.) 1965, State of Utah
1	The source of the proposed appropriation is Underground Name of stream, lake, spring, underground or other source
1.	The source of the proposed appropriation is
2	The amount of water applied for is. .003 Second Ft. (2.0 acre ft.) One second-foot equals 448.83 gals. per min. second-feet
۷.	One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feet.
2	
	The water to be used for
4.	If use is for:
	(a) Irrigation, state number of acres to be irrigated
	(b) Stockwater, state number and kinds of animals to be watered. 100 head of horses.
	(c) Other use (describe fully under No. 12. "Remarks"
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point. In the NE¼ SE¼, Sec 6, T5S, R70E, M Describe as being within a 40-acre subdivision of public
	Meridian from which point the SE corner of said Sec 6 bears So. 7°, 01', 11" E, survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
	a distance of 1422.87 ft.
6.	Place of use NE¼ SE¼, SW¼ SE¼, and the SE¼ SE¼, Section 6, T5S, R70E, MD Meridian Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7.	Use will begin about Jan. 1 and end about Dec. 31 Month and Day, of each year.
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) Drilled well with submersible pump, powered by generator, water pumped into 8000 State manner in which water is to be diverted, i.e. diversion structure, ditches and
	by generator, water pumped into 8000 State manner in which water is to be diverted, i.e. diversion structure, ditches and gal. storage tank, closed float controlled system into water troughs. (2)

9.	Estimated cost of works\$8000.00
10.	Estimated time required to construct works two months If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use 60 days
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
	For the National Mustang Assn, Inc. Bys/Richard Seuling P.O. Box 155
Com	pared bc/bc ap/se Newcastle, Utah 84756
Prote	stedsted
	APPROVAT.
	APPROVAL OF STATE ENGINEER
folloundd that per sour sour sour sour sour sour sour sou	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the wing limitations and conditions: This permit is issued subject to all existing rights on the source. It is existed that the amount of water herein granted is only a temporary allowance and the final water right obtained under this permit will be dependent upon the cod of use and the average number of livestock served from the waters of this area. It is further understood that this right must allow for a reasonable ring of the static water level at permittee's well due to any other ground water allowment in the area. The well shall be equipped with a 2-inch opening for suring depth to water. If well is flowing, a valve must be installed and tained to prevent waste. The State retains the right to regulate the use of the experiment of the Federal range. This permit does not extend the permittee the right of ingress and egress or cic, private or corporate lands. The well must be sealed with cement grout, concrete grout or neat cement from and level to 100 feet. The issuance of this permit does not waive the requirements that the permitter obtain other permits from State, Federal and local agencies. In a summent of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to decrease the contract of the contract
Worl	must be prosecuted with reasonable diligence and be completed on or before
Proo	of completion of work shall be filed before
Appl	cation of water to beneficial use shall be filed on or before. December 7, 1995
Proo	of the application of water to beneficial use shall be filed on or before
Мар	in support of proof of beneficial use shall be filed on or before
Proof Cultur	etion of work filed. JAN 26 1996 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E State Engineer of Nevada, have hereunto set my hand and the seal of my office, this. 7th day of December A.D. 1992 State Engineer